

Message

From: Chan, Suilin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=52A7E14EA92C4B378851ADD37BA89866-CHAN, SUILIN]
Sent: 1/13/2022 1:50:04 PM
To: Ruvo, Richard [Ruvo.Richard@epa.gov]
CC: Petriman, Viorica [Petriman.Viorica@epa.gov]; Wieber, Kirk [Wieber.Kirk@epa.gov]; Laurita, Matthew [Laurita.Matthew@epa.gov]
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Concerns are also raised regarding water issues, please see excerpt below:

“There are three letters attached that are addressed to you requesting that the U.S. Environmental Protection Agency (EPA) act. The first two letters relate to using EPA’s authority under the Clean Water Act (CWA) and Safe Drinking Water Act (SDWA) to prevent PFAS exposure from onshore construction activities from the SFWF AC transmission cable. EPA has broad authority and an imperative to protect our water quality and we believe that these authorities must be used before any construction is allowed to begin.”

Ex. 5 Deliberative Process (DP)

Thanks,
Suilin

From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Thursday, January 13, 2022 8:33 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Laurita, Matthew <Laurita.Matthew@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

OK, thank you.

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Thursday, January 13, 2022 8:24 AM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Laurita, Matthew <Laurita.Matthew@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Yes, you are correct Rick, it is just a letter, not FOIA.

Ex. 5 Deliberative Process (DP)

Thanks,

Suilin

From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Thursday, January 13, 2022 7:30 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Petriman, Viorica <Petriman.Viorica@epa.gov>; Wieber, Kirk <Wieber.Kirk@epa.gov>; Laurita, Matthew <Laurita.Matthew@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Suilin-

Ex. 5 Deliberative Process (DP)

Thanks, Rick

From: Bird, Patrick <Bird.Patrick@epa.gov>
Sent: Thursday, January 13, 2022 6:53 AM
To: Chan, Suilin <Chan.Suilin@epa.gov>
Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Suilin,

South Fork is set be singed on Tuesday, 1/18. We are routing for signature today.

Since this is a national issue, I suggest we let OAQPS know, as well as Region 1 management. Let me make folks aware of the incoming control letter, and maybe together we can sketch out a plan to respond. Since this is sent to the Administrator, we'll likely want to package responses together.

Thanks,

Pat

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 12, 2022 5:42 PM
To: Bird, Patrick <Bird.Patrick@epa.gov>
Cc: Ruvo, Richard <Ruvo.Richard@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Pat,

We were assigned this FOIA from a Gouri Edlich, a Chairwoman of the Citizens for the Preservation of Wainscott (CPW) to Administrator Regan. She wrote about the South Fork wind project transmission cable and EPA's proposal to not require ERC to offset construction phase emissions.

Ex. 5 Deliberative Process (DP)

By the way, what is the status of the South Fork final OCS permit?

Thanks,

Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias
Auria

-----Original Message-----

From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Wednesday, January 12, 2022 2:34 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-

Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.
Thanks, Rick

-----Original Message-----

From: cmsadmin@epa.gov <cmsadmin@epa.gov>
Sent: Wednesday, January 12, 2022 2:08 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions

From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at <https://cms.epa.gov/cms>. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS.Information@epa.gov.